

## Clinical Reasoning Activities | To infinity and further...

Shortness of breath	Chest pain	Non-blanching rash	Cyanosis
Capillary refill time >4s peripherally	Abdominal pain	Bowels not opened >48 hours	Cardiac murmur
Stridor	Wheeze	Angioedema	Joint pain
Joint stiffness	Reduced range of joint motion	Alopecia	Urticarial rash
Fever	Lethargy	Poor appetite	Weight loss
Night sweats	Dry cough	Productive cough	Haemoptysis
Reduced exercise tolerance	Peripheral oedema	Orthopnoea	Claudication
Conjunctival pallor	Palpitations	Loss of consciousness	Pre-syncope
Change in bowel habit	PR bleeding	Change in stool colour	Abdominal distention



## Clinical Reasoning Activities | To infinity and further...

Dysphagia	Dyspepsia	Vomiting	Early satiety
Jaundice	Incontinence	Weight gain	Dizziness
Increased thirst	Nausea	Postural hypotension	Sweating
Low body temperature	Joint swelling	Erythema	Visual changes
Hearing changes	Speech changes	Reduced sensation	Itch
Headache	Ataxia	Tremor	Loss of co- ordination
Hypotension	Hypertension	Hypoxia	Bradycardia
Tachycardia	Abdominal mass	Soft tissue swelling	Irritability
Low mood	Heightened mood	Hallucinations	Agitation



## Clinical Reasoning Activities | To infinity and further...

Flank pain	Confusion	New discharge	Pain
Constipation	Retention	Immune compromise	Tachypnoea
Reduced chest expansion	Tracheal deviation	Dull to percussion	Irregular pulse
Dry mucous membranes	Hyperglycaemia	Hypoglycaemia	Bruising
Bleeding	Red eye(s)		